



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SOLUTIONS OF PROBLEMS.

489 (Algebra). Proposed by S. A. COREY, Albia, Iowa.

Prove or disprove the following:

$$\begin{vmatrix} -x & -ay & -bu & abv \\ y & x & -bv & -bu \\ u & av & x & ay \\ -v & -u & y & -x \end{vmatrix}^2 + a \begin{vmatrix} x & -x & -bu & abv \\ y & y & -bv & -bu \\ u & u & x & ay \\ v & -v & y & -x \end{vmatrix}^2$$

$$+ b \begin{vmatrix} x & -ay & -x & abv \\ y & x & y & -bu \\ u & av & u & ay \\ v & -u & -v & -x \end{vmatrix}^2 + ab \begin{vmatrix} x & -ay & -bu & -x \\ y & x & -bv & y \\ u & av & x & u \\ v & -u & y & -v \end{vmatrix}^2 = \begin{vmatrix} x & -ay & -bu & abv \\ y & x & -bv & -bu \\ u & av & x & ay \\ v & -u & y & -x \end{vmatrix}^2.$$

II. SOLUTION BY A. M. HARDING, University of Arkansas.

The quantities X, Y, U, V, W , defined by the equations

$$xX - ayY - buU + abvV = -xW,$$

$$yX + xY - bvU - buV = yW,$$

$$uX + avY + xU + ayV = uW,$$

$$vX - uY + yU - xV = -vW,$$

are proportional to the five determinants taken in order.

It can be easily shown that the last determinant in the left member of the proposed equation is equal to zero for all values of x, y, u, v, a, b . Hence the above equations may be written in the form

$$\begin{aligned} (X + W)x - aYy - bUu &= 0, \\ Yx + (X - W)y - bUv &= 0, \\ Ux + (X - W)u + aYv &= 0, \\ Uy - Yu + (X + W)v &= 0. \end{aligned}$$

The quantities x, y, u, v , can satisfy this system of homogeneous linear equations if, and only if, the determinant

$$\begin{vmatrix} X + W & -aY & -bU & 0 \\ Y & X - W & 0 & -bU \\ U & 0 & X - W & aY \\ 0 & U & -Y & X + W \end{vmatrix}$$

is equal to zero. It can be shown that the value of this determinant is k^2 , where

$$k = (X^2 - W^2) + aY^2 + bU^2.$$

Hence $X^2 + aY^2 + bU^2 = W^2$, or, since $V = 0$, $X^2 + aY^2 + bU^2 + abV^2 = W^2$. That is, the relation stated in the problem holds for all values of x, y, u, v, a, b .

NOTE. We are publishing a second solution of this problem for two reasons: First, because the solution above is essentially different from the one published in the March number; and second, because the conclusion drawn in that solution that the identity does not always exist is incorrect. EDITORS.

271 (Number Theory). Proposed by HORACE OLSON, Chicago, Illinois.

Prove that if x, y, z, u, v , and w are integers such that $x^2 + y^2 = u^2, x^2 + z^2 = v^2, y^2 + z^2 = w^2$, then the product $xyzuvw$ is divisible by 518400.